
## **QBase Composition Mount | QMNC**

(formerly called New Roof Composition Mount)



| - J   | 3                       |                                 |                                 |
|---|-------------------------|---------------------------------|---------------------------------|
| Lag pull-out (withdrawal) capacities (lbs) in typical lumber:           |                         |                                 |                                 |
|   | Lag Bolt Specifications |                                 |                                 |
|   | Specific Gravity        | 5/16" shaft per 3" thread depth | 5/16" shaft per 1" thread depth |
| Douglas Fir, Larch  | .50                     | 1330                            | 266                             |
| Douglas Fir, South  | .46                     | 1175                            | 235                             |
| Engelmann Spruce, Lodgepole Pine (MSR 1650 f & higher)                  | .46                     | 1175                            | 235                             |
| Hem, Fir  | .43                     | 1060                            | 212                             |
| Hem, Fir (North)  | .46                     | 1175                            | 235                             |
| Southern Pine   | .55                     | 1535                            | 307                             |
| Spruce, Pine, Fir   | .42                     | 1025                            | 205                             |
| Spruce, Pine, Fir (E of 2 million psi and higher grades of MSR and MEL) | .50                     | 1330                            | 266                             |

Sources: Uniform Building Code; American Wood Council, NDS 2005, Table 11.2 A, 11.3.2 A

## Notes:

- 1) Thread must be embedded in a rafter or other structural roof member.
- 2) See IBC for required edge distances.
- \*\*Note: To maintain waterproofing it is important that the aluminum flashing is properly placed under one full course above the mounting block with at least some of the flashing extending up under the course above that as well. See instructions on back.




## **QBase Composition Mount Installation Instructions**


(formerly called New Roof Composition Mount)

Installation Tools Required: tape measure, roofing bar, chalk line, stud finder, caulking gun, one tube of sealant compatible with roofing material, drill with 7/32" bit, drill or impact gun with 1/2" deep socket.


## **WARNING:** Quick Mount PV products are NOT designed for and should NOT be used to anchor fall protection equipment.




Layout your array out over the roofing paper using Align QBase vertical holes over center rafter mark a chalk line to mark rafter centers and the rail location center.




and horizontal holes over snapped line. Mark holes for drilling.



Remove QBase and drill 2 each 7/32" pilot holes into rafter. Hold drill square to rafter.



Fill pilot holes with sealant compatible with roofing material. Seat grade 8 cap screw (item 3) through bottom of QBase (item 1). Place QBase over drilled holes and secure lags (item 4) in place, to a solid, snug fit.



Secure post (item 2) to QBase turning post onto Allow roofing to proceed to the point that the captive base plate bolt.



flashing should be installed.



Install flashing (item 5) over mount.



Allow roofing to proceed to the next mount course.



Apply sealant where post and flashing meet. Install EPDM counter flashing collar (item 6). Seal post with hardware (item 7-10) if not installing racking right away.



Feb-2012, Rev 5 BI7.2.3-6