

S4A-US330B

345W

Mono Perc All-Black Crystalline Module







Our products are local, top-quality, and cost competitive manufactured in Sacramento, CA.



Custom Design for Transmission



Outstanding Temperature Coefficient



Minimize Micro-crack and Free of Snail Trails



Excellent Performance under Lowlight Condition



Excellent Anti-PID Performance



Certified for Salt/Ammonia Corrosion Resistance



Wind to 2400PA Snow to 5400PA



Lower LCOE



Suitable for Harsh Environments



Fire Resistant up to Class C

SolarJuice Technology Inc.

MODULE EFFICIENCY

20.72%

HIGH POWER OUTPUT

345W











SolarJuice Technology Inc. is headquartered and has module production facilities in Sacramento, California. Our S4A branded product line offers high quality, exceptional performance, and great value to our customers. Our state-of-the-art manufacturing facility uses industry-leading automated production equipment to optimize product performance and quality.

S4A-US330B

60 Cell | Mono Perc | All-Black | Crystalline Module

ELECTRICAL CHARACTERISTICS AT STANDARD TEST CONDITIONS (STC)

Module Type	S4A345	S4A340	S4A335	S4A330	S4A325	S4A320
Maximum Power - Pmax (W)	345	340	335	330	325	320
Open Circuit Voltage - Voc (V)	41.4	41.2	41.0	40.8	40.6	40.4
Short Circuit Current - Isc (A)	10.47	10.39	10.3	10.22	10.12	10.03
Maximum Power Voltage - Vmpp (V)	34.0	33.8	33.6	33.4	33.2	33.0
Maximum Power Current - Impp (A)	10.15	10.06	9.97	9.88	9.79	9.7
Module Efficiency	20.72%	20.42%	20.12%	19.82%	19.52%	19.22%

Standard Test Conditions (STC): irradiance 1,000 W/m²; AM 1.5; module temperature 25°C. Tolerance of Pmpp: 0~+3%. Measuring uncertainty of power: ±3%.

ELECTRICAL CHARACTERISTICS AT NORMAL OPERATING CELL TEMPERATURE (NOCT)

S4A345	S4A340	S4A335	S4A330	S4A325	S4A320
257	253	249	245	242	238
38.27	38.09	37.91	37.72	37.54	37.35
8.47	8.40	8.33	8.26	8.18	8.11
32.09	31.91	31.72	31.53	31.34	31.15
7.98	7.91	7.84	7.77	7.70	7.63
	257 38.27 8.47 32.09	257 253 38.27 38.09 8.47 8.40 32.09 31.91	257 253 249 38.27 38.09 37.91 8.47 8.40 8.33 32.09 31.91 31.72	257 253 249 245 38.27 38.09 37.91 37.72 8.47 8.40 8.33 8.26 32.09 31.91 31.72 31.53	257 253 249 245 242 38.27 38.09 37.91 37.72 37.54 8.47 8.40 8.33 8.26 8.18 32.09 31.91 31.72 31.53 31.34

Standard Test Conditions (STC): irradiance 800 W/m²; wind speed 1m/s; cell temperature 45°C; ambient temperature 20°C. Measuring uncertainty of power: ±3%.

TEMPERATURE CHARACTERISTICS MAXIMUM RATINGS

NOCT	45 °C (±2 °C)	Maximum System Voltage [V]	1500
Temperature Coefficient	-0.29%/K	Series Fuse Rating [A]	20
Current Temperature Coefficient	+0.05%/K		
Power Temperature Coefficient	-0.39%/K		

Dimensions	1662×1002×35mm (L×W×H)	
Weight	40lbs/18.3kg	
Frame	Black anodized aluminum profile	
Front Glass	White touchened safety glass, 3.2mm	
Cell Encapsulation	EVA (Ethylene-Vinyl-Acetate)	
Back Sheet	Composite film	
Cells	6×10 pieces monocrystalline solar cells series strings (158.75mm x 158.75mm)	
Junction Box	Rated current T ≥ 13A, IP ≥ 67, TUV & UL	
Cable & Connector	Length 1200mm, 1x4mm², compatible with MC4	

PACKAGING			SYSTEM DESIGN	SYSTEM DESIGN		
[Dimensions (LxWxH)	1700x1110x1132mm	Temperature Range	-40 °C to + 85 °C		
(Container20'	360	Withstanding Hail	Maximum diameter of 25 mm with impact speed of 23 m·s-1		
(Container40'	840	Maximum Surface Load	5,400 Pa		
(Container40'HC	910	Module Fire Performance	Type 1		





