





| PRODUCT LINE:  | SOLARMOUNT                   |
|----------------|------------------------------|
| DRAWING TYPE:  | PART & ASSEMBLY              |
| DESCRIPTION:   | PRO SERIES<br>BONDING CLAMPS |
| REVISION DATE: | 10/26/2017                   |

PRODUCT PROTECTED BY
ONE OR MORE US PATENTS
LEGAL NOTICE

**SM-A01** 



| PART # TABLE          |                           |  |
|-----------------------|---------------------------|--|
| P/N                   | DESCRIPTION               |  |
| 302027C               | SM BND MIDCLAMP BC SS     |  |
| 302027D               | SM BND MIDCLAMP BC DRK SS |  |
| 302028C               | SM BND MIDCLAMP EF SS     |  |
| 302028D               | SM BND MIDCLAMP EF DRK SS |  |
| 302029C               | SM BND MIDCLAMP DK SS     |  |
| 302029D               | SM BND MIDCLAMP DK DRK SS |  |
| FOR BONDING END CLAMP |                           |  |
|                       | REFER TO SHEET SM-P05     |  |



BONDING SM MID CLAMP BONDING SM END CLAMP




| PRODUCT LINE:  | SOLARMOUNT            |
|----------------|-----------------------|
| DRAWING TYPE:  | PART & ASSEMBLY       |
| DESCRIPTION:   | BONDING TOP<br>CLAMPS |
| REVISION DATE: | 10/26/2017            |

DRAWING NOT TO SCALE ALL DIMENSIONS ARE NOMINAL

PRODUCT PROTECTED BY ONE OR MORE US PATENTS

LEGAL NOTICE

SM-A01A





| PRODUCT LINE:  | SOLARMOUNT       |
|----------------|------------------|
| DRAWING TYPE:  | PART & ASSEMBLY  |
| DESCRIPTION:   | SM TRIM END CLIP |
| REVISION DATE: | 9/27/2017        |


PRODUCT PROTECTED BY ONE OR MORE US PATENTS


LEGAL NOTICE


**SM-A02** 


## NOTES:

- 1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S WRITTEN SPECIFICATIONS AND INSTALLATION INSTRUCTIONS.
- 2. PACKAGING: KITS OF 10









| PART # TABLE             |                   |  |
|--------------------------|-------------------|--|
| P/N DESCRIPTION          |                   |  |
| 004055M                  | FLASHKIT PRO MILL |  |
| 004055D FLASHKIT PRO DRK |                   |  |




| PRODUCT LINE:  | SOLARMOUNT   |
|----------------|--------------|
| DRAWING TYPE:  | KIT DETAIL   |
| DESCRIPTION:   | FLASHKIT PRO |
| REVISION DATE: | 9/24/2018    |

DRAWING NOT TO SCALE ALL DIMENSIONS ARE NOMINAL

PRODUCT PROTECTED BY
ONE OR MORE US PATENTS
LEGAL NOTICE

**SM-A03** 






| PRODUCT LINE:  | SOLARMOUNT      |
|----------------|-----------------|
| DRAWING TYPE:  | PART & ASSEMBLY |
| DESCRIPTION:   | L-FOOT          |
| REVISION DATE: | 11/19/2018      |

PRODUCT PROTECTED BY
ONE OR MORE US PATENTS
LEGAL NOTICE

SM-A1






| PRODUCT LINE:  | SOLARMOUNT      |
|----------------|-----------------|
| DRAWING TYPE:  | PART & ASSEMBLY |
| DESCRIPTION:   | L-FOOT          |
| REVISION DATE: | 9/27/2017       |


PRODUCT PROTECTED BY ONE OR MORE US PATENTS


LEGAL NOTICE


SM-A0

## **BONDING SPLICE BAR**










TYPICAL SPLICE BAR DETAIL

5/16"-18 TYPE F THREAD CUTTING SCREWS INCLUDED



TYPICAL EXPANSION JOINT DETAIL

NOTE THAT ONLY 2 SCREWS ARE USED AT AN EXPANSION JOINT. THE SPLICE BAR DOES NOT BOND ACROSS AN EXPANSION JOINT. SEE INSTALLATION GUIDE FOR INSTRUCTION.

| PART # TABLE    |                                |
|-----------------|--------------------------------|
| P/N DESCRIPTION |                                |
| 303019M         | BND SPLICE BAR PRO SERIES MILL |
| 303019D         | BND SPLICE BAR PRO SERIES DRK  |



| PRODUCT LINE:  | SOLARMOUNT                       |
|----------------|----------------------------------|
| DRAWING TYPE:  | PART & ASSEMBLY                  |
| DESCRIPTION:   | BONDING SPLICE<br>BAR PRO SERIES |
| REVISION DATE: | 8/23/2018                        |


DRAWING NOT TO SCALE ALL DIMENSIONS ARE NOMINAL


PRODUCT PROTECTED BY ONE OR MORE US PATENTS


LEGAL NOTICE


SM-A05

## **BONDING SPLICE BAR**










TYPICAL SPLICE BAR DETAIL



TYPICAL EXPANSION JOINT DETAIL

NOTE THAT ONLY 2 SCREWS ARE USED AT AN EXPANSION JOINT. THE SPLICE BAR DOES NOT BOND ACROSS AN EXPANSION JOINT. SEE INSTALLATION GUIDE FOR INSTRUCTION.

| PART # TABLE                        |                             |  |
|-------------------------------------|-----------------------------|--|
| P/N DESCRIPTION                     |                             |  |
| 303018C BND SPLICE BAR SERRATED CLR |                             |  |
| 303018D                             | BND SPLICE BAR SERRATED DRK |  |



| PRODUCT LINE:  | SOLARMOUNT            |
|----------------|-----------------------|
| DRAWING TYPE:  | PART & ASSEMBLY       |
| DESCRIPTION:   | BONDING SPLICE<br>BAR |
| REVISION DATE: | 9/27/2017             |

DRAWING NOT TO SCALE ALL DIMENSIONS ARE NOMINAL

PRODUCT PROTECTED BY ONE OR MORE US PATENTS


LEGAL NOTICE

SM-A05



1. SEE SM TiH INSTALLATION GUIDE FOR ASSEMBLY INSTRUCTIONS.





DETAIL A
FRONT L-FOOT HINGE



DETAIL B REAR TILT LEG




| PRODUCT LINE:  | SOLARMOUNT TILT  |
|----------------|------------------|
| DRAWING TYPE:  | ASSEMBLY         |
| DESCRIPTION:   | LOW PROFILE TILT |
| REVISION DATE: | 9/27/2017        |

| DRAWING NOT TO SCALE |  |
|----------------------|--|
| ALL DIMENSIONS ARE   |  |
| NOMINAL              |  |
|                      |  |

PRODUCT PROTECTED BY ONE OR MORE US PATENTS

LEGAL NOTICE

**SM-A07** 






| PRODUCT LINE:  | SOLARMOUNT TILT   |
|----------------|-------------------|
| DRAWING TYPE:  | ASSEMBLY          |
| DESCRIPTION:   | HIGH PROFILE TILT |
| REVISION DATE: | 9/27/2017         |


|--|

ONE OR MORE US PATENTS

LEGAL NOTICE

**SM-A08** 






| TILT LEG TABLE |                                    |                                |                |       |
|----------------|------------------------------------|--------------------------------|----------------|-------|
| P/N            | DESCRIPTION                        | TOTAL<br>ADJUSTABLE<br>LENGTHS | SQUARE<br>TUBE | STRUT |
| 307107M        | SM ADJ TILT LEG,<br>8"-12", W/HDW  | 8" to 12"                      | 8"             | 8"    |
| 307115M        | SM ADJ TILT LEG,<br>18"-30", W/HDW | 18" to 30"                     | 18"            | 18"   |
| 307120M        | SM ADJ TILT LEG,<br>26"-44", W/HDW | 26" to 44"                     | 26"            | 26"   |
| 307134M        | SM ADJ TILT LEG,<br>40"-72", W/HDW | 40" to 72"                     | 40"            | 40"   |



| PRODUCT LINE:  | SOLARMOUNT TILT        |
|----------------|------------------------|
| DRAWING TYPE:  | ASSEMBLY               |
| DESCRIPTION:   | ADJUSTABLE TILT<br>LEG |
| REVISION DATE: | 9/27/2017              |

PRODUCT PROTECTED BY
ONE OR MORE US PATENTS
LEGAL NOTICE

**SM-A09** 







| PRODUCT LINE:  | SOLARMOUNT HD   |
|----------------|-----------------|
| DRAWING TYPE:  | PART & ASSEMBLY |
| DESCRIPTION:   | BOTTOM CLIP     |
| REVISION DATE: | 9/27/2017       |

PRODUCT PROTECTED BY ONE OR MORE US PATENTS

LEGAL NOTICE

SM-A10





| PART # TABLE |                   |        |
|--------------|-------------------|--------|
| P/N          | DESCRIPTION       | LENGTH |
| 320132M      | SM RAIL 132" MILL | 132"   |
| 310132C      | SM RAIL 132" CLR  | 132"   |
| 320168M      | SM RAIL 168" MILL | 168"   |
| 310168C      | SM RAIL 168" CLR  | 168"   |
| 320168D      | SM RAIL 168" DRK  | 168"   |
| 320208M      | SM RAIL 208" MILL | 208"   |
| 310208C      | SM RAIL 208" CLR  | 208"   |
| 320240M      | SM RAIL 240" MILL | 240"   |
| 310240C      | SM RAIL 240" CLR  | 240"   |
| 310240D      | SM RAIL 240" DRK  | 240"   |
|              |                   |        |





| PRODUCT LINE:  | SOLARMOUNT    |
|----------------|---------------|
| DRAWING TYPE:  | PART DETAIL   |
| DESCRIPTION:   | STANDARD RAIL |
| REVISION DATE: | 9/11/2017     |

PRODUCT PROTECTED BY ONE OR MORE US PATENTS LEGAL NOTICE

SHEET

**SM-P01** 





| PART # TABLE |                         |        |
|--------------|-------------------------|--------|
| P/N          | DESCRIPTION             | LENGTH |
| 315168M      | SM LIGHT RAIL 168" MILL | 168"   |
| 315168D      | SM LIGHT RAIL 168" DRK  | 168"   |
| 315240M      | SM LIGHT RAIL 240" MILL | 240"   |
| 315240D      | SM LIGHT RAIL 240" DRK  | 240"   |




| PRODUCT LINE:  | SOLARMOUNT  |
|----------------|-------------|
| DRAWING TYPE:  | PART DETAIL |
| DESCRIPTION:   | LIGHT RAIL  |
| REVISION DATE: | 9/11/2017   |

PRODUCT PROTECTED BY ONE OR MORE US PATENTS

LEGAL NOTICE

**SM-P02** 






| PRODUCT LINE:  | SOLARMOUNT  |
|----------------|-------------|
| DRAWING TYPE:  | PART DETAIL |
| DESCRIPTION:   | HD RAIL     |
| REVISION DATE: | 9/11/2017   |

PRODUCT PROTECTED BY ONE OR MORE US PATENTS

LEGAL NOTICE

**SM-P03** 







| PRODUCT LINE:  | SOLARMOUNT  |
|----------------|-------------|
| DRAWING TYPE:  | PART DETAIL |
| DESCRIPTION:   | END CAPS    |
| REVISION DATE: | 9/27/2017   |

PRODUCT PROTECTED BY
ONE OR MORE US PATENTS
LEGAL NOTICE

**SM-P04** 




B CLAMP 30mm to 32mm Module Thickness (1.18" to 1.26")




E CLAMP 50mm to 51mm Module Thickness (1.97" to 2.00")


| PART # TABLE |                      |
|--------------|----------------------|
| P/N          | DESCRIPTION          |
| 302021C      | SM ENDCLAMP B CLR AL |
| 302021D      | SM ENDCLAMP B DRK AL |
| 302022C      | SM ENDCLAMP C CLR AL |
| 302022D      | SM ENDCLAMP C DRK AL |
| 302023C      | SM ENDCLAMP D CLR AL |
| 302023D      | SM ENDCLAMP D DRK AL |
| 303024C      | SM ENDCLAMP E CLR AL |
| 302024D      | SM ENDCLAMP E DRK AL |
| 302025C      | SM ENDCLAMP F CLR AL |
| 302025D      | SM ENDCLAMP F DRK AL |
| 302026C      | SM ENDCLAMP K CLR AL |
| 302026D      | SM ENDCLAMP K DRK AL |




C CLAMP 33mm to 36mm Module Thickness (1.30" to 1.42")




F CLAMP 45mm to 47mm Module Thickness (1.77" to 1.85")



D CLAMP 38mm to 40mm Module Thickness (1.50" to 1.57")



K CLAMP 39mm to 41mm Module Thickness (1.54" to 1.61")





| PRODUCT LINE:  | SOLARMOUNT                   |
|----------------|------------------------------|
| DRAWING TYPE:  | PART DETAIL                  |
| DESCRIPTION:   | END CLAMPS -<br>TOP MOUNTING |
| REVISION DATE: | 9/27/2017                    |

PRODUCT PROTECTED BY ONE OR MORE US PATENTS LEGAL NOTICE

**SM-P05**